


SHOWER TRAYS

EXTENSIVE SELECTION OF SHOWER TRAY SHAPES AND SIZES TO COMPLEMENT YOUR BATHROOM.



STRONG AND RIGID CONSTRUCTION

MANUFACTURED TO BRITISH STANDARD BS6340/5

TOUGH HIGH GLOSS ABS ACRYLIC CAPPED SURFACE FINISH

EASY-TO-CLEAN AND MAINTAIN



SLIMLINE RECTANGLE TRAY INCLUDING SHOWER WASTE



SLIMLINE SQUARE TRAY INCLUDING SHOWER WASTE



SLIMLINE QUADRANT TRAY INCLUDING SHOWER WASTE



SLIMLINE OFFSET QUADRANT TRAY INCLUDING SHOWER WASTE (right hand illustrated)

SLIMLINE SHOWER TRAYS

RECTANGLE

PRODUCT DESCRIPTION	CODE
800 x 700mm	TSL8070R
900 x 700mm	TSL9070R
900 x 760mm	TSL9076R
900 x 800mm	TSL9080R
1000 x 700mm	TSL10070R
1000 x 760mm	TSL10076R
1000 x 800mm	TSL10080R
1000 x 900mm	TSL10090R
1100 x 700mm	TSL11070R
1100 x 760mm	TSL11076R
1100 x 800mm	TSL11080R
1100 x 900mm	TSL11090R
1200 x 700mm	TSL12070R
1200 x 760mm	TSL12076R
1200 x 800mm	TSL12080R
1200 x 900mm	TSL12090R
1300 x 800mm	TSL13080R
1300 x 900mm	TSL13090R
1400 x 700mm	TSL14070R
1400 x 800mm	TSL14080R
1400 x 900mm	TSL14090R
1500 x 700mm	TSL15070R
1500 x 760mm	TSL15076R
1500 x 800mm	TSL15080R
1500 x 900mm	TSL15090R
1600 x 700mm	TSL16070R
1600 x 800mm	TSL16080R
1600 x 900mm	TSL16090R
1700 x 700mm	TSL17070R
1700 x 750mm	TSL17075R
1700 x 800mm	TSL17080R
1700 x 900mm	TSL17090R
1800 x 800mm	TSL18080R
1800 x 900mm	TSL18090R
2000 x 900mm	TSL20090R

Note.
There is a tolerance of up to 10mm in tray sizes above the nominal dimensions. This is to allow for potential shrinkage during the manufacturing process.

SQUARE

PRODUCT DESCRIPTION	CODE
700 x 700mm	TSL70S
760 x 760mm	TSL76S
800 x 800mm	TSL80S
900 x 900mm	TSL90S
1000 x 1000mm	TSL100S
1200 x 1200mm	TSL120S

QUADRANT

PRODUCT DESCRIPTION	CODE
800 x 800mm	TSL80Q
900 x 900mm	TSL90Q
1000 x 1000mm	TSL100Q

OFFSET QUADRANT

PRODUCT DESCRIPTION	CODE
900 x 760mm - Left	TSL9076LOQ
900 x 760mm - Right	TSL9076ROQ
900 x 800mm - Left	TSL9080LOQ
900 x 800mm - Right	TSL9080ROQ
1000 x 800mm - Left	TSL10080LOQ
1000 x 800mm - Right	TSL10080ROQ
1000 x 900mm - Left	TSL10090LOQ
1000 x 900mm - Right	TSL10090ROQ
1100 x 800mm - Left	TSL11080LOQ
1100 x 800mm - Right	TSL11080ROQ
1100 x 900mm - Left	TSL11090LOQ
1100 x 900mm - Right	TSL11090ROQ
1200 x 800mm - Left	TSL12080LOQ
1200 x 800mm - Right	TSL12080ROQ
1200 x 900mm - Left	TSL12090LOQ
1200 x 900mm - Right	TSL12090ROQ



OFFSET QUADRANT
LEFT HAND



OFFSET QUADRANT
RIGHT HAND

ANTI-SLIP SHOWER TRAYS

HEIGHT 40mm (INCLUDES WASTE)

RECTANGLE

PRODUCT DESCRIPTION	CODE
1000 x 800mm	ASTSLI0080R
1000 x 900mm	ASTSLI0090R
1100 x 800mm	ASTSLI1080R
1100 x 900mm	ASTSLI1090R
1200 x 700mm	ASTSLI2070R
1200 x 760mm	ASTSLI2076R
1200 x 800mm	ASTSLI2080R
1200 x 900mm	ASTSLI2090R
1400 x 700mm	ASTSLI4070R
1400 x 800mm	ASTSLI4080R
1400 x 900mm	ASTSLI4090R
1500 x 700mm	ASTSLI5070R
1500 x 800mm	ASTSLI5080R
1500 x 900mm	ASTSLI5090R
1600 x 700mm	ASTSLI6070R
1600 x 800mm	ASTSLI6080R
1600 x 900mm	ASTSLI6090R
1700 x 700mm	ASTSLI7070R
1700 x 800mm	ASTSLI7080R
1700 x 900mm	ASTSLI7090R

Note - There is a tolerance of up to 10mm in tray sizes above the nominal dimensions. This is to allow for potential shrinkage during the manufacturing process.

SQUARE

PRODUCT DESCRIPTION	CODE
800mm	ASTSL80S
900mm	ASTSL90S
1000mm	ASTSL100S

QUADRANT

PRODUCT DESCRIPTION	CODE
800mm	ASTSL80Q
900mm	ASTSL90Q
1000mm	ASTSL100Q



TEXTURED ANTI-SLIP TRAY SURFACE

OFFSET QUADRANT

PRODUCT DESCRIPTION	CODE
Anti-Slip Slimline Offset Quadrant Tray 1000 x 800mm - Left Hand	ASTSL10080LOQ
Anti-Slip Slimline Offset Quadrant Tray 1000 x 800mm - Right Hand	ASTSL10080ROQ
Anti-Slip Slimline Offset Quadrant Tray 1000 x 900mm - Left Hand	ASTSL10090LOQ
Anti-Slip Slimline Offset Quadrant Tray 1000 x 900mm - Right Hand	ASTSL10090ROQ
Anti-Slip Slimline Offset Quadrant Tray 1200 x 800mm - Left Hand	ASTSL12080LOQ
Anti-Slip Slimline Offset Quadrant Tray 1200 x 800mm - Right Hand	ASTSL12080ROQ
Anti-Slip Slimline Offset Quadrant Tray 1200 x 900mm - Left Hand	ASTSL12090LOQ
Anti-Slip Slimline Offset Quadrant Tray 1200 x 900mm - Right Hand	ASTSL12090ROQ

ANTI-SLIP SLIMLINE - TRAYS WITH CORNER WASTE

PRODUCT DESCRIPTION	CODE
900 x 900mm - Quadrant Tray - Inc. Corner Waste	CASTSL90Q
1000 x 1000mm Quadrant Tray - Inc. Corner Waste	CASTSL100Q
900 x 900mm - Square Tray - Inc. Corner Waste	CASTSL90S
1000 x 1000mm - Square Tray - Inc. Corner Waste	CASTSL100S
1000 x 800mm - Rectangle Tray - Inc. Corner Waste	CASTSL10080R
1200 x 800mm - Rectangle Tray - Inc. Corner Waste	CASTSL12080R
1200 x 900mm - Rectangle Tray - Inc. Corner Waste	CASTSL12090R

ULTRA SLIM 25MM SHOWER TRAYS

HEIGHT 25mm (INCLUDING WASTE & WHITE GRILLE)

RECTANGLE

PRODUCT DESCRIPTION	CODE
1000 x 800mm - Inc. Waste & White Grille	USLI0080R
1000 x 900mm - Inc. Waste & White Grille	USLI0090R
1200 x 800mm - Inc. Waste & White Grille	USLI2080R
1200 x 900mm - Inc. Waste & White Grille	USLI2090R
1400 x 800mm - Inc. Waste & White Grille	USLI4080R
1400 x 900mm - Inc. Waste & White Grille	USLI4090R
1500 x 800mm - Inc. Waste & White Grille	USLI5080R
1500 x 900mm - Inc. Waste & White Grille	USLI5090R
1600 x 800mm - Inc. Waste & White Grille	USLI6080R
1600 x 900mm - Inc. Waste & White Grille	USLI6090R
1700 x 800mm - Inc. Waste & White Grille	USLI7080R
1700 x 900mm - Inc. Waste & White Grille	USLI7090R
1800 x 800mm - Inc. Waste & White Grille	USLI8080R
1800 x 900mm - Inc. Waste & White Grille	USLI8090R

SQUARE

PRODUCT DESCRIPTION	CODE
800 x 800mm - Inc. Waste & White Grille	USL80S
900 x 900mm - Inc. Waste & White Grille	USL90S

QUADRANT

PRODUCT DESCRIPTION	CODE
800 x 800mm - Inc. Waste & White Grille	USL80Q
900 x 900mm - Inc. Waste & White Grille	USL90Q

OFFSET QUADRANT

PRODUCT DESCRIPTION	CODE
1000 x 800mm Left Hand - Inc. Waste & White Grille	USLI0080LOQ
1000 x 800mm Right Hand - Inc. Waste & White Grille	USLI0080ROQ
1200 x 800mm Left Hand - Inc. Waste & White Grille	USLI2080LOQ
1200 x 800mm Right Hand - Inc. Waste & White Grille	USLI2080ROQ
1200 x 900mm Left Hand - Inc. Waste & White Grille	USLI2090LOQ
1200 x 900mm Right Hand - Inc. Waste & White Grille	USLI2090ROQ

ANTI-SLIP ULTRA SLIM 25MM SHOWER TRAYS

HEIGHT 25mm (INCLUDING WASTE & WHITE GRILLE)

RECTANGLE


PRODUCT DESCRIPTION	CODE
1000 x 800mm - Inc. Waste & White Grille	AUSLI0080R
1200 x 800mm - Inc. Waste & White Grille	AUSLI2080R
1200 x 900mm - Inc. Waste & White Grille	AUSLI2090R
1400 x 800mm - Inc. Waste & White Grille	AUSLI4080R
1400 x 900mm - Inc. Waste & White Grille	AUSLI4090R
1500 x 800mm - Inc. Waste & White Grille	AUSLI5080R
1600 x 800mm - Inc. Waste & White Grille	AUSLI6080R
1600 x 900mm - Inc. Waste & White Grille	AUSLI6090R
1700 x 800mm - Inc. Waste & White Grille	AUSLI7080R
1700 x 900mm - Inc. Waste & White Grille	AUSLI7090R

SQUARE

PRODUCT DESCRIPTION	CODE
900 x 900mm - Inc. Waste & White Grille	AUSL90S



ULTRA SLIM RECTANGLE TRAY
INCLUDING WASTE AND WHITE GRILLE



ULTRA SLIM SQUARE TRAY
INCLUDING WASTE AND WHITE GRILLE



ULTRA SLIM QUADRANT TRAY
INCLUDING WASTE AND WHITE GRILLE





ULTRA SLIM OFFSET QUADRANT TRAY (RIGHT HAND)
INCLUDING WASTE AND WHITE GRILLE

SHOWER ACCESSORIES

PROSEAL WATERPROOF BARRIER SEAL

PRODUCT DESCRIPTION	CODE
ProSeal 2 metre Roll	PROS2.0M
ProSeal 2.5 metre Roll	PROS2.5M
ProSeal 3 metre Roll	PROS3.0M
ProSeal 3.5 metre Roll	PROS3.5M
ProSeal 4 metre Roll	PROS4.0M
ProSeal 10 metre Roll	PROS10.0M
ProSeal 20 metre Roll	PROS20.0M

Flexible up-stand seal installed onto shower trays, baths and



risk of water leakage.

SHOWER WASTE

PRODUCT DESCRIPTION	CODE
TSL 90mm High Flow Waste - Chrome	TSLWASTE

McALPINE WASTES

PRODUCT DESCRIPTION	CODE
McAlpine 90mm Shower Waste Matte Black Plastic Dome	ST90MB10-70
McAlpine 90mm Shower Waste White Plastic Dome	ST90WH10-70



McAlpine 90mm Shower Waste
Matte Black Plastic Dome

FLAIR EASY PLUMB KIT

Flair slimline easy plumb shower kits have adjustable legs to comply with building regulations to assist in installation and for maintenance of waste outlets if required after building settlement.





The Flair slimline easy plumb kit provides this access without compromising on style in the bathroom.


An easy plumb tray can be made by using any of the Flair slimline trays and a kit. This will increase the height of the tray by 95mm.

Accessories are not to scale - for visual representation only.




PRODUCT DESCRIPTION	WEIGHT	CODE
Easy Plumb Riser Kit for all Square Trays & Rectangle Trays (Suitable for maximum tray size of 1200mm)	2kg	WD3
Easy Plumb Riser Kit for all Quadrant Trays (Suitable for maximum tray size of 1200 x 900mm)	3kg	WD4
Easy Plumb Kit for all Square & Rectangle Trays (Up to 2000mm in size)	2kg	WD5





CREATE YOUR SPACE

Scale 5mm = 100mm
25mm x 25mm Grid = 500mm x 500mm
175mm x 200mm Whole Grid = 3500mm x 4000mm



QUALITY GUARANTEED

At Flair we have an unwavering commitment to product quality.

All Flair Shower doors and wetrooms are CE approved and manufactured in accordance with ISO 9001:2000 Quality Assurance systems. All glass is toughed safety glass and produced to EN12150.

Flair products are performance tested to EN14428. Shower doors and rotating wetroom panels have been subject to lifetime shower door cycle testing consisting of 20,000 functional cycles.

Flair Shower doors and rotating wetroom panels have also been tested for their durability, stability, and water retention properties to ensure that they meet the highest possible industry standards. Water is maintained where conventional showering practices are used and the product has been fitted in accordance with the Flair Fitting Instructions. Please note - Due to the weight of certain products, they may require a two man lift.

Images shown in this catalogue are for illustrative purposes only. All descriptions contained in this catalogue are for the purpose of explaining each product more clearly and do not form part of any contract with the company.

Guarantee

ORO & ETO Shower Doors are covered by a lifetime guarantee against manufacturer defect. A lifetime guarantee constitutes a term of 20 years. AYO Wetrooms and Bathscreens are covered by a 20 year guarantee against manufacturer defect. Shower Trays are subject to manufacturer guarantee. All guarantees are valid on the condition that goods are installed and maintained in accordance with the products fitting instructions and best practices. This guarantee is for domestic use only.

***Note: Non glass and detachable parts such as seals and cover caps are subject to normal wear and tear during usage and are under statutory guarantee for 2 years from time of purchase. Glass shattering is not subject to Lifetime guarantee.**

We ask our customers to register their guarantee online at www.flairshowers.com or return the guarantee card that comes with every Flair product.

Aftersales & Spare Parts Service

Flair Showers are 100% committed to customer service excellence. For ultimate peace of mind, a comprehensive range of spare parts is available for all Flair product ranges. If you would like to talk to an aftercare specialist about your Flair product, please contact us on (Ireland & Northern Ireland) +353 42 966 8000 or (UK) 0800 1800 8050.

Return Policy

Flair will not accept return of any product that has been opened. We do not accept return of any product if the packaging has been damaged. If the product is unopened and not damaged, we will accept the return of the product but a handling fee of 25% of the invoice price will be charged.

Cleaning Guidelines

- Glass: Use a soft cloth and warm soapy water; rinse off thoroughly.
- Metallic Surfaces: Use a soft cloth and warm soapy water; rinse off thoroughly.
- Do not use "Spray & leave" cleaning products on the metal surface as these will cause damage to your product. These include acidic based cleaning products, bleaches, solvents or abrasive pads.
- In hard water areas, regular cleaning of your Flair door will help to prevent the build-up of limescale. Stubborn deposits of limescale can be removed with warm soapy water.
- Check your shower door for functionality periodically. Ensure that the wheel track is free from any grit / dirt which may have collected over time.

Installation

Full installation instructions are provided with each product to ensure correct installation. All Shower doors and wetroom panels are adjustable between the dimensions stated. All dimensions are approximate.

Shower Tray Installation

All shower trays must be installed as per instructions supplied. Install on a base of fine sand, cement and cement additive. Please note: Silicone sealants, foams, mastics, installation compound adhesive or similar must not be used as a substitute for cement. Ensure shower tray is 100% level and water test to ensure water is draining correctly. If not satisfied at any stage do not proceed with fitting. Fitting of Shower Tray is acceptance of quality.

Conditions of Sale

Unless otherwise stated, all price quotations are subject to acceptance within 30 days of date of issue. Other than in the case of faulty goods / incorrect despatch, Flair will not accept the return of any product.

AS PART OF OUR CONTINUING POLICY OF PRODUCT IMPROVEMENT, WE RESERVE THE RIGHT TO AMEND SPECIFICATIONS, COLOURS AND PRICES WITHOUT PRIOR NOTICE.

*Errors and Omissions Exempt.





BEHIND
THE
SCENES



WATCH
THE
VIDEO



BROWSE OUR WATERFALL LOOKBOOK



FIND
YOUR
FLAIR





flair
—

Flair Showers

Ireland / Northern Ireland
+353 42 966 8000

England / Scotland / Wales
0800 180 8050

sales@flairshowers.com



FLAIRSHOWERS.COM

